



DESIGNER  
HEATING  
2021



## DESIGNER HEATING 2021

Kartell UK has established a reputation as a premier supplier of high quality products to the UK Plumbing and Heating Sector. We are delighted to introduce our 2021 K-Rad Designer Radiator brochure. Take a look at our wide range, all designed to provide exactly what we have become famous for at Kartell – delivering a quality product, offering a quality service and delivering at a competitive price.

Within these pages you will find the latest designer radiators and towel rails, influenced by fashions and designers across Europe. You will also find the traditional styles that have remained with us over the years; solid functional designs with durability and ease of use and maintenance. We trust that you will enjoy this new catalogue.

### Designer Radiators

|                                     |    |
|-------------------------------------|----|
| Aspen White Horizontal              | 4  |
| Aspen White Vertical                | 5  |
| Aspen Anthracite Horizontal         | 6  |
| Aspen Anthracite Vertical           | 7  |
| Aspen Stainless Horizontal          | 8  |
| Aspen Stainless Vertical            | 9  |
| Boston Anthracite Horizontal        | 10 |
| Boston White Horizontal             | 11 |
| Boston Chrome                       | 12 |
| Boston Anthracite                   | 13 |
| Boston White                        | 14 |
| Florida                             | 15 |
| Laser Klassic Horizontal            | 16 |
| Laser Klassic Vertical              | 17 |
| Laser Klassic Horizontal Raw Metal  | 18 |
| Laser Klassic Vertical Raw Metal    | 19 |
| Laser Klassic Horizontal Anthracite | 20 |
| Laser Klassic Vertical Anthracite   | 21 |
| K-Flat Horizontal                   | 22 |
| K-Flat Vertical                     | 23 |
| K-Flat Premium Horizontal           | 24 |
| K-Flat Premium Vertical             | 25 |
| Vermont                             | 26 |
| Vermont Hi                          | 27 |
| Nostalgia                           | 28 |
| Legacy                              | 29 |
| San Jose                            | 30 |
| Miami                               | 31 |
| Cincinnati                          | 32 |
| Kansas                              | 33 |
| Los Angeles                         | 34 |
| Crown                               | 35 |
| Idaho                               | 36 |

### Designer Towel Rails


|                        |       |
|------------------------|-------|
| Toledo                 | 37    |
| Metro                  | 38    |
| Ohio                   | 39    |
| Connecticut            | 40    |
| Orlando                | 41    |
| Newark                 | 42    |
| Memphis                | 43    |
| Atlantic               | 44    |
| Mode                   | 45    |
| Oregon                 | 46    |
| Venetian               | 47    |
| Phoenix                | 48    |
| New York               | 49    |
| Kolumn                 | 50    |
| Denver                 | 51    |
| Malibu                 | 52    |
| Tampa                  | 53    |
| Oakland                | 54    |
| K Squared              | 55    |
| K Rail 22mm Black      | 56    |
| K Rail 22mm Anthracite | 57    |
| Coloured K-Rails       | 58-59 |
| K Rail 22mm White      | 60    |
| K Rail 22mm Chrome     | 61    |
| K Rail 25mm Chrome     | 62    |
| Electric rails         | 63    |

### Radiator Valves & Extras 64-65




## K-Rad Kolours


A selection of our most popular RAL colours are available on most products, for those that require a more unique look. Our K-Rad Kolours are ready to go so your product can be delivered to you in 2 weeks.




RAL 9010  
Pure White




RAL 1013  
Oyster White




RAL 9002  
Grey White



RAL 7032  
Pebble Grey




RAL 7001  
Silver Grey



RAL 5024  
Pastel Blue




RAL 5002  
Ultramarine




RAL 7016  
Anthracite




RAL 5013  
Cobalt Blue



RAL 9005  
Jet Black




RAL 6019  
Pastel Green




RAL 1016  
Sulphur Yellow



RAL 2004  
Brilliant Orange



RAL 3020  
Traffic Red



RAL 4010  
Telemagenta

Cast Iron & Tubular Steel: £36 per section surcharge for Kartell Kolours.

K-Flats & K-Rads: price on application for Kartell Kolours.


**Other colours only available upon request. Please contact the sales office for pricing.**


Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.





| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|----|--------------------------------------------------|-----------|
| Aspen Single |             |            |            |                      |    |                                                  |           |
| ASP60-37SW   | 600         | 360        | 55         | 360                  | 51 | 1434                                             | 206.90    |
| ASP60-55SW   | 600         | 540        | 55         | 540                  | 51 | 2234                                             | 291.00    |
| ASP60-79SW   | 600         | 780        | 55         | 780                  | 51 | 3309                                             | 392.81    |
| ASP60-97SW   | 600         | 960        | 55         | 960                  | 51 | 4428                                             | 468.77    |
| ASP60-115SW  | 600         | 1140       | 55         | 1140                 | 51 | 5111                                             | 547.88    |
| ASP60-145SW  | 600         | 1440       | 55         | 1440                 | 51 | 6377                                             | 678.83    |
| Aspen Double |             |            |            |                      |    |                                                  |           |
| ASP60-37DW   | 600         | 360        | 79         | 360                  | 51 | 2467                                             | 300.71    |
| ASP60-55DW   | 600         | 540        | 79         | 540                  | 51 | 3850                                             | 420.23    |
| ASP60-79DW   | 600         | 780        | 79         | 780                  | 51 | 5694                                             | 577.01    |
| ASP60-97DW   | 600         | 960        | 79         | 960                  | 51 | 7591                                             | 691.81    |
| ASP60-115DW  | 600         | 1140       | 79         | 1140                 | 51 | 8645                                             | 811.46    |
| ASP60-145DW  | 600         | 1440       | 79         | 1440                 | 51 | 10780                                            | 1002.10   |







| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|----|----------------------------------------------------|-----------|
| Aspen Single |             |            |            |                      |    |                                                    |           |
| ASP16-43VSW  | 1600        | 420        | 55         | 420                  | 51 | 4187                                               | 395.96    |
| ASP18-31VSW  | 1800        | 300        | 55         | 300                  | 51 | 3563                                               | 328.13    |
| ASP18-43VSW  | 1800        | 420        | 55         | 420                  | 51 | 4796                                               | 434.80    |
| ASP18-55VSW  | 1800        | 540        | 55         | 540                  | 51 | 6299                                               | 541.46    |
| Aspen Double |             |            |            |                      |    |                                                    |           |
| ASP16-43VDW  | 1600        | 420        | 79         | 420                  | 51 | 8170                                               | 533.45    |
| ASP18-31VDW  | 1800        | 300        | 79         | 300                  | 51 | 6933                                               | 420.23    |
| ASP18-43VDW  | 1800        | 420        | 79         | 420                  | 51 | 9540                                               | 569.00    |
| ASP18-55VDW  | 1800        | 540        | 79         | 540                  | 51 | 12283                                              | 717.66    |



| Product Code | Height<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Tapping Centres (mm) |    | Heat Output<br>Δt60°C (BTUs) | Price<br>(£) |
|--------------|----------------|---------------|---------------|----------------------|----|------------------------------|--------------|
| Aspen Single |                |               |               |                      |    |                              |              |
| ASP60-37SA   | 600            | 360           | 55            | 360                  | 51 | 1434                         | 211.75       |
| ASP60-55SA   | 600            | 540           | 55            | 540                  | 51 | 2234                         | 300.71       |
| ASP60-79SA   | 600            | 780           | 55            | 780                  | 51 | 3309                         | 404.09       |
| ASP60-97SA   | 600            | 960           | 55            | 960                  | 51 | 4428                         | 484.91       |
| ASP60-115SA  | 600            | 1140          | 55            | 1140                 | 51 | 5111                         | 565.73       |
| ASP60-145SA  | 600            | 1440          | 55            | 1440                 | 51 | 6377                         | 699.94       |
| Aspen Double |                |               |               |                      |    |                              |              |
| ASP60-37DA   | 600            | 360           | 79            | 360                  | 51 | 2467                         | 310.28       |
| ASP60-55DA   | 600            | 540           | 79            | 540                  | 51 | 3850                         | 433.21       |
| ASP60-79DA   | 600            | 780           | 79            | 780                  | 51 | 5694                         | 594.85       |
| ASP60-97DA   | 600            | 960           | 79            | 960                  | 51 | 7591                         | 711.23       |
| ASP60-115DA  | 600            | 1140          | 79            | 1140                 | 51 | 8645                         | 834.04       |
| ASP60-145DA  | 600            | 1440          | 79            | 1440                 | 51 | 10780                        | 1034.50      |







| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|----|----------------------------------------------------|-----------|
| Aspen Single |             |            |            |                      |    |                                                    |           |
| ASP16-43VSA  | 1600        | 420        | 55         | 420                  | 51 | 4187                                               | 407.36    |
| ASP18-31VSA  | 1800        | 300        | 55         | 300                  | 51 | 3563                                               | 337.84    |
| ASP18-43VSA  | 1800        | 420        | 55         | 420                  | 51 | 4796                                               | 447.78    |
| ASP18-55VSA  | 1800        | 540        | 55         | 540                  | 51 | 6299                                               | 557.59    |
| Aspen Double |             |            |            |                      |    |                                                    |           |
| ASP16-43VDA  | 1600        | 420        | 79         | 420                  | 51 | 8170                                               | 549.59    |
| ASP18-31VDA  | 1800        | 300        | 79         | 300                  | 51 | 6933                                               | 434.80    |
| ASP18-43VDA  | 1800        | 420        | 79         | 420                  | 51 | 9540                                               | 586.72    |
| ASP18-55VDA  | 1800        | 540        | 79         | 540                  | 51 | 12283                                              | 738.65    |



| Product Code | Height<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Tapping Centres (mm) |      | Heat Output<br>Δt60°C (BTUs) | Price<br>(£) |
|--------------|----------------|---------------|---------------|----------------------|------|------------------------------|--------------|
|              |                |               |               | (c1)                 | (c2) |                              |              |
| Aspen Single |                |               |               |                      |      |                              |              |
| ASP60-40S    | 600            | 400           | 63            | 400                  | 50   | 1271                         | 404.09       |
| ASP60-57S    | 600            | 570           | 63            | 570                  | 50   | 1902                         | 480.06       |
| ASP60-80S    | 600            | 800           | 63            | 800                  | 50   | 2749                         | 557.59       |
| ASP60-100S   | 600            | 1000          | 63            | 1000                 | 50   | 3592                         | 599.70       |
| ASP60-120S   | 600            | 1200          | 63            | 1200                 | 50   | 4016                         | 622.27       |
| ASP60-150S   | 600            | 1500          | 63            | 1500                 | 50   | 5 075                        | 779.06       |
| Aspen Double |                |               |               |                      |      |                              |              |
| ASP60-40D    | 600            | 400           | 88            | 370                  | 70   | 2187                         | 780.76       |
| ASP60-57D    | 600            | 570           | 88            | 550                  | 70   | 3285                         | 756.49       |
| ASP60-75D    | 600            | 800           | 88            | 790                  | 70   | 4379                         | 1044.20      |
| ASP60-100D   | 600            | 1000          | 88            | 970                  | 70   | 6204                         | 1134.73      |
| ASP60-120D   | 600            | 1200          | 88            | 1150                 | 70   | 6904                         | 1220.40      |
| ASP60-150D   | 600            | 1500          | 88            | 1450                 | 70   | 8763                         | 1548.53      |







| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|----|--------------------------------------------------|-----------|
| Aspen Single |             |            |            |                      |    |                                                  |           |
| ASP180-25S   | 1800        | 250        | 63         | 250                  | 50 | 2334                                             | 617.42    |
| ASP180-31S   | 1800        | 310        | 63         | 310                  | 50 | 2918                                             | 745.20    |
| ASP180-45S   | 1800        | 450        | 63         | 450                  | 50 | 4059                                             | 1000.52   |
| ASP180-56S   | 1800        | 560        | 63         | 560                  | 50 | 5248                                             | 1254.26   |
| Aspen Double |             |            |            |                      |    |                                                  |           |
| ASP180-25D   | 1800        | 250        | 88         | 250                  | 70 | 4552                                             | 1069.45   |
| ASP180-31D   | 1800        | 310        | 88         | 310                  | 70 | 5690                                             | 1372.57   |
| ASP180-45D   | 1800        | 450        | 88         | 450                  | 70 | 7916                                             | 1907.36   |
| ASP180-56D   | 1800        | 560        | 88         | 560                  | 70 | 10234                                            | 2312.78   |



| Product Code  | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------|-------------|------------|------------|----------------------|----|--------------------------------------------------|-----------|
| Boston Single |             |            |            |                      |    |                                                  |           |
| BOS60-42SA    | 600         | 420        | 52         | 420                  | 50 | 1295                                             | 150.00    |
| BOS60-63SA    | 600         | 630        | 52         | 630                  | 50 | 1943                                             | 210.00    |
| BOS60-77SA    | 600         | 770        | 52         | 770                  | 50 | 2375                                             | 240.00    |
| BOS60-91SA    | 600         | 910        | 52         | 910                  | 50 | 2807                                             | 270.00    |
| BOS60-119SA   | 600         | 1190       | 52         | 1190                 | 50 | 3670                                             | 360.00    |
| BOS60-147SA   | 600         | 1470       | 52         | 1470                 | 50 | 4534                                             | 420.00    |
| Boston Double |             |            |            |                      |    |                                                  |           |
| BOS60-42DA    | 600         | 420        | 70         | 420                  | 50 | 2367                                             | 240.00    |
| BOS60-63DA    | 600         | 630        | 70         | 630                  | 50 | 3551                                             | 330.00    |
| BOS60-77DA    | 600         | 770        | 70         | 770                  | 50 | 4340                                             | 390.00    |
| BOS60-91DA    | 600         | 910        | 70         | 910                  | 50 | 5129                                             | 450.00    |
| BOS60-119DA   | 600         | 1190       | 70         | 1190                 | 50 | 6708                                             | 540.00    |
| BOS60-147DA   | 600         | 1470       | 70         | 1470                 | 50 | 8286                                             | 654.00    |







| Product Code  | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------|-------------|------------|------------|----------------------|----|--------------------------------------------------|-----------|
| Boston Single |             |            |            |                      |    |                                                  |           |
| BOS60-42SW    | 600         | 420        | 52         | 420                  | 50 | 1295                                             | 150.00    |
| BOS60-63SW    | 600         | 630        | 52         | 630                  | 50 | 1943                                             | 210.00    |
| BOS60-77SW    | 600         | 770        | 52         | 770                  | 50 | 2375                                             | 240.00    |
| BOS60-91SW    | 600         | 910        | 52         | 910                  | 50 | 2807                                             | 270.00    |
| BOS60-119SW   | 600         | 1190       | 52         | 1190                 | 50 | 3670                                             | 360.00    |
| BOS60-147SW   | 600         | 1470       | 52         | 1470                 | 50 | 4534                                             | 420.00    |
| Boston Double |             |            |            |                      |    |                                                  |           |
| BOS60-42DW    | 600         | 420        | 70         | 420                  | 50 | 2367                                             | 240.00    |
| BOS60-63DW    | 600         | 630        | 70         | 630                  | 50 | 3551                                             | 330.00    |
| BOS60-77DW    | 600         | 770        | 70         | 770                  | 50 | 4340                                             | 390.00    |
| BOS60-91DW    | 600         | 910        | 70         | 910                  | 50 | 5129                                             | 450.00    |
| BOS60-119DW   | 600         | 1190       | 70         | 1190                 | 50 | 6708                                             | 540.00    |
| BOS60-147DW   | 600         | 1470       | 70         | 1470                 | 50 | 8286                                             | 654.00    |



| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|----|----------------------------------------------------|-----------|
| 1200 Series  |             |            |                      |    |                                                    |           |
| BOS1200-410C | 1200        | 410        | 370                  | 50 | 1638                                               | 381.52    |
| BOS1200-480C | 1200        | 480        | 440                  | 50 | 1911                                               | 438.07    |
| BOS1200-550C | 1200        | 550        | 510                  | 50 | 2185                                               | 488.18    |
| 1600 Series  |             |            |                      |    |                                                    |           |
| BOS1600-410C | 1600        | 410        | 370                  | 50 | 2133                                               | 442.92    |
| BOS1600-480C | 1600        | 480        | 440                  | 50 | 2489                                               | 509.18    |
| BOS1600-550C | 1600        | 550        | 510                  | 50 | 2845                                               | 570.59    |
| 1800 Series  |             |            |                      |    |                                                    |           |
| BOS1800-410C | 1800        | 410        | 370                  | 50 | 2380                                               | 478.48    |
| BOS1800-480C | 1800        | 480        | 440                  | 50 | 2777                                               | 551.17    |
| BOS1800-550C | 1800        | 550        | 510                  | 50 | 3174                                               | 612.56    |






| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) |    | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|----|--------------------------------------------------|-----------|
| 1200 Series  |             |            |                      |    |                                                  |           |
| BOS1200-410A | 1200        | 410        | 370                  | 50 | 2,488                                            | 257.02    |
| BOS1200-480A | 1200        | 480        | 440                  | 50 | 2,904                                            | 295.85    |
| BOS1200-550A | 1200        | 550        | 510                  | 50 | 3,319                                            | 329.70    |
| 1600 Series  |             |            |                      |    |                                                  |           |
| BOS1600-410A | 1600        | 410        | 370                  | 50 | 3,240                                            | 299.00    |
| BOS1600-480A | 1600        | 480        | 440                  | 50 | 3,781                                            | 344.27    |
| BOS1600-550A | 1600        | 550        | 510                  | 50 | 4,322                                            | 384.67    |
| 1800 Series  |             |            |                      |    |                                                  |           |
| BOS1800-410A | 1800        | 410        | 370                  | 50 | 3,616                                            | 323.27    |
| BOS1800-480A | 1800        | 480        | 440                  | 50 | 4,219                                            | 371.81    |
| BOS1800-550A | 1800        | 550        | 510                  | 50 | 4,823                                            | 413.80    |




| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) |      | Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|------|----------------------------------------------------|-----------|
|              |             |            | (c1)                 | (c2) |                                                    |           |
| 1200 Series  |             |            |                      |      |                                                    |           |
| BOS1200-410W | 1200        | 410        | 370                  | 50   | 2,488                                              | 247.31    |
| BOS1200-480W | 1200        | 480        | 440                  | 50   | 2,904                                              | 284.44    |
| BOS1200-550W | 1200        | 550        | 510                  | 50   | 3,319                                              | 318.42    |
| 1600 Series  |             |            |                      |      |                                                    |           |
| BOS1600-410W | 1600        | 410        | 370                  | 50   | 3,240                                              | 287.72    |
| BOS1600-480W | 1600        | 480        | 440                  | 50   | 3,781                                              | 331.40    |
| BOS1600-550W | 1600        | 550        | 510                  | 50   | 4,322                                              | 370.12    |
| 1800 Series  |             |            |                      |      |                                                    |           |
| BOS1800-410W | 1800        | 410        | 370                  | 50   | 3,616                                              | 311.99    |
| BOS1800-480W | 1800        | 480        | 440                  | 50   | 4,219                                              | 358.82    |
| BOS1800-550W | 1800        | 550        | 510                  | 50   | 4,823                                              | 399.24    |





Can be installed horizontally



| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) |       | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|-------|--------------------------------------------------|-----------|
| 600 Series   |             |            |            |                      |       |                                                  |           |
| FLO490-600   | 600         | 490        | 40         | 550                  | 50-65 | 2062                                             | 606.13    |
| FLO590-600   | 600         | 590        | 40         | 550                  | 50-65 | 2473                                             | 683.68    |
| 800 Series   |             |            |            |                      |       |                                                  |           |
| FLO490-800   | 800         | 490        | 40         | 750                  | 50-65 | 2749                                             | 767.77    |
| FLO590-800   | 800         | 590        | 40         | 750                  | 50-65 | 3294                                             | 876.01    |
| 1000 Series  |             |            |            |                      |       |                                                  |           |
| FLO490-1000  | 1000        | 490        | 40         | 950                  | 50-65 | 3437                                             | 976.25    |
| FLO590-1000  | 1000        | 590        | 40         | 950                  | 50-65 | 4120                                             | 1086.19   |
| 1200 Series  |             |            |            |                      |       |                                                  |           |
| FLO490-1200  | 1200        | 490        | 40         | 1150                 | 50-65 | 4120                                             | 1107.19   |
| FLO590-1200  | 1200        | 590        | 40         | 1150                 | 50-65 | 4946                                             | 1259.11   |
| 1800 Series  |             |            |            |                      |       |                                                  |           |
| FLO1800-290  | 1800        | 290        | 40         | 1750                 | 50-65 | 3713                                             | 1045.79   |
| FLO1800-390  | 1800        | 390        | 40         | 1750                 | 50-65 | 4946                                             | 1386.90   |


# Laser Klassic Horizontal



**5** 5 Year Guarantee



| Product Code     | Height (mm)<br>A | Width (mm) | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|------------------|------------------|------------|-----------------|------------------------|-----------------|--------------------------------------------------|-----------|
| <b>2 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL206014        | 600              | 650        | 66              | 535                    | 14              | 2707                                             | 334.92    |
| LCL206018        | 600              | 830        | 66              | 535                    | 18              | 3480                                             | 421.42    |
| LCL206022        | 600              | 1010       | 66              | 535                    | 22              | 4255                                             | 509.36    |
| LCL206026        | 600              | 1190       | 66              | 535                    | 26              | 5027                                             | 593.09    |
| <b>3 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL306014        | 600              | 650        | 107             | 535                    | 14              | 3694                                             | 362.83    |
| LCL306018        | 600              | 830        | 107             | 535                    | 18              | 4724                                             | 460.52    |
| LCL306022        | 600              | 1010       | 107             | 535                    | 22              | 5773                                             | 551.23    |
| LCL306026        | 600              | 1190       | 107             | 535                    | 26              | 6824                                             | 648.91    |
| <b>4 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL404014        | 400              | 650        | 148             | 335                    | 14              | 3354                                             | 509.36    |
| LCL404018        | 400              | 830        | 148             | 335                    | 18              | 4312                                             | 648.91    |
| LCL404022        | 400              | 1010       | 148             | 335                    | 22              | 5269                                             | 788.46    |
| LCL404026        | 400              | 1190       | 148             | 335                    | 26              | 6229                                             | 928.02    |
| LCL406014        | 600              | 650        | 148             | 535                    | 14              | 4900                                             | 411.67    |
| LCL406018        | 600              | 830        | 148             | 535                    | 18              | 6300                                             | 523.32    |
| LCL406022        | 600              | 1010       | 148             | 535                    | 22              | 7701                                             | 627.98    |
| LCL406026        | 600              | 1190       | 148             | 535                    | 26              | 9102                                             | 741.07    |
| LCL407514        | 750              | 650        | 148             | 685                    | 14              | 6043                                             | 467.50    |
| LCL407518        | 750              | 830        | 148             | 685                    | 18              | 7769                                             | 586.12    |
| LCL407522        | 750              | 1010       | 148             | 685                    | 22              | 9460                                             | 711.71    |
| LCL407526        | 750              | 1190       | 148             | 685                    | 26              | 11221                                            | 837.31    |
| <b>6 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL603022        | 300              | 1010       | 230             | 235                    | 22              | 5915                                             | 987.40    |
| LCL603026        | 300              | 1190       | 230             | 235                    | 26              | 6991                                             | 1143.40   |
| LCL603030        | 300              | 1370       | 230             | 235                    | 30              | 8067                                             | 1315.20   |




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

**Optional feet**  
adds 120mm to the height



| Code | Description | Price (£ per pair) |
|------|-------------|--------------------|
| T2F  | 2 column    | 100.45             |
| T3F  | 3 column    | 100.45             |
| T4F  | 4 column    | 100.45             |
| T6F  | 6 column    | 100.45             |




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

| Product Code     | Height (mm)<br>A | Width (mm) | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|------------------|------------------|------------|-----------------|------------------------|-----------------|--------------------------------------------------|-----------|
| <b>2 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL215007        | 1500             | 335        | 66              | 1435                   | 7               | 3215                                             | 383.76    |
| LCL215009        | 1500             | 425        | 66              | 1435                   | 9               | 4133                                             | 488.42    |
| LCL215011        | 1500             | 515        | 66              | 1435                   | 11              | 5051                                             | 586.12    |
| LCL218007        | 1800             | 335        | 66              | 1735                   | 7               | 3858                                             | 393.50    |
| LCL218009        | 1800             | 425        | 66              | 1735                   | 9               | 4960                                             | 499.62    |
| LCL218011        | 1800             | 515        | 66              | 1735                   | 11              | 6063                                             | 600.07    |
| <b>3 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| LCL318007        | 1800             | 335        | 107             | 1735                   | 7               | 4146                                             | 460.79    |
| LCL318009        | 1800             | 425        | 107             | 1735                   | 9               | 5331                                             | 592.44    |
| LCL318011        | 1800             | 515        | 107             | 1735                   | 11              | 6516                                             | 710.92    |



|                                                                                     | Product Code     | Height (mm)<br>A | Width (mm) | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|-------------------------------------------------------------------------------------|------------------|------------------|------------|-----------------|------------------------|-----------------|--------------------------------------------------|-----------|
|  | <b>2 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
|                                                                                     | RMLCL206014      | 600              | 650        | 66              | 535                    | 14              | 2707                                             | 435.40    |
|                                                                                     | RMLCL206018      | 600              | 830        | 66              | 535                    | 18              | 3480                                             | 547.85    |
|                                                                                     | RMLCL206022      | 600              | 1010       | 66              | 535                    | 22              | 4255                                             | 662.18    |
|  | <b>3 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
|                                                                                     | RMLCL306014      | 600              | 650        | 107             | 535                    | 14              | 3694                                             | 471.68    |
|                                                                                     | RMLCL306018      | 600              | 830        | 107             | 535                    | 18              | 4724                                             | 598.68    |
|                                                                                     | RMLCL306022      | 600              | 1010       | 107             | 535                    | 22              | 5773                                             | 716.60    |
|                                                                                     | RMLCL306026      | 600              | 1190       | 107             | 535                    | 26              | 6824                                             | 843.60    |
|  | <b>4 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
|                                                                                     | RMLCL406026      | 600              | 1190       | 148             | 335                    | 26              | 9102                                             | 963.37    |



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

**Optional feet**  
adds 120mm to the height




| Code  | Description | Price (£ per pair) |
|-------|-------------|--------------------|
| RMT2F | 2 column    | 130.33             |
| RMT3F | 3 column    | 130.33             |
| RMT4F | 4 column    | 130.33             |

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



2 mm  45mm



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

| Product Code       | Height (mm)<br>A | Width (mm) | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|--------------------|------------------|------------|-----------------|------------------------|-----------------|--------------------------------------------------|---------------|
| <b>2 Columns</b>   |                  |            |                 |                        |                 |                                                  |               |
| <b>RMLCL218007</b> | 1800             | 335        | 66              | 1735                   | 7               | 3858                                             | <b>511.55</b> |
| <b>RMLCL218009</b> | 1800             | 425        | 66              | 1735                   | 9               | 4960                                             | <b>649.51</b> |
| <b>RMLCL218011</b> | 1800             | 515        | 66              | 1735                   | 11              | 6063                                             | <b>780.08</b> |

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


# Laser Klassic Horizontal Anthracite

**M** Matt Finish

**5** 5 Year Guarantee



| Product Code     | Height (mm)<br>A | Width (mm) | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|------------------|------------------|------------|-----------------|------------------------|-----------------|--------------------------------------------------|-----------|
| <b>2 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| ALCL206014       | 600              | 650        | 66              | 535                    | 14              | 2707                                             | 435.40    |
| ALCL206018       | 600              | 830        | 66              | 535                    | 18              | 3480                                             | 547.85    |
| ALCL206022       | 600              | 1010       | 66              | 535                    | 22              | 4255                                             | 662.18    |
| <b>3 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| ALCL306014       | 600              | 650        | 107             | 535                    | 14              | 3694                                             | 471.68    |
| ALCL306018       | 600              | 830        | 107             | 535                    | 18              | 4724                                             | 598.68    |
| ALCL306022       | 600              | 1010       | 107             | 535                    | 22              | 5773                                             | 716.60    |
| ALCL306026       | 600              | 1190       | 107             | 535                    | 26              | 6824                                             | 843.60    |
| <b>4 Columns</b> |                  |            |                 |                        |                 |                                                  |           |
| ALCL406026       | 600              | 1190       | 148             | 335                    | 26              | 9102                                             | 963.37    |




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

**Optional feet**  
adds 120mm to the height



| Code | Description | Price (£ per pair) |
|------|-------------|--------------------|
| AT2F | 2 column    | 130.33             |
| AT3F | 3 column    | 130.33             |
| AT4F | 4 column    | 130.33             |

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



| Product Code     | Height (mm)<br>A | Width (mm)<br>B | Depth (mm)<br>C | C/C Tappings (mm)<br>B | No. of Sections | Heat Output $\Delta t 60^\circ\text{C}$ (BTUs) | Price (£) |
|------------------|------------------|-----------------|-----------------|------------------------|-----------------|------------------------------------------------|-----------|
| <b>2 Columns</b> |                  |                 |                 |                        |                 |                                                |           |
| ALCL218007       | 1800             | 335             | 66              | 1735                   | 7               | 3858                                           | 511.55    |
| ALCL218009       | 1800             | 425             | 66              | 1735                   | 9               | 4960                                           | 649.51    |
| ALCL218011       | 1800             | 515             | 66              | 1735                   | 11              | 6063                                           | 780.08    |

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.

D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.


# K-Flat Kompact Horizontal




**10** 10 Year Guarantee



**Type 11 Single Convector**



**Type 22 Double Convactor**



**TYPE 11 Single Convactor**


| Code       | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |          | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|------------|---------------|---------------|-------------------------|----------|----------------------------|--------------|
|            |               |               | (c1)                    | (c2)     |                            |              |
| 400mm high |               |               |                         |          |                            |              |
| KS406F     | 600           | 56            | 345                     | 40 or 55 | 1586                       | 209.96       |
| KS408F     | 800           | 56            | 345                     | 40 or 55 | 2115                       | 248.71       |
| KS410F     | 1000          | 56            | 345                     | 40 or 55 | 2644                       | 287.81       |
| KS412F     | 1200          | 56            | 345                     | 40 or 55 | 3173                       | 333.73       |
| KS414F     | 1400          | 56            | 345                     | 40 or 55 | 3701                       | 369.55       |
| KS416F     | 1600          | 56            | 345                     | 40 or 55 | 4230                       | 411.19       |
| 500mm high |               |               |                         |          |                            |              |
| KS504F     | 400           | 56            | 445                     | 40 or 55 | 1279                       | 198.16       |
| KS506F     | 600           | 56            | 445                     | 40 or 55 | 1918                       | 233.58       |
| KS508F     | 800           | 56            | 445                     | 40 or 55 | 2558                       | 280.27       |
| KS510F     | 1000          | 56            | 445                     | 40 or 55 | 3197                       | 328.12       |
| KS512F     | 1200          | 56            | 445                     | 40 or 55 | 3837                       | 383.69       |
| KS514F     | 1400          | 56            | 445                     | 40 or 55 | 4476                       | 426.12       |
| KS516F     | 1600          | 56            | 445                     | 40 or 55 | 5116                       | 467.36       |
| 600mm high |               |               |                         |          |                            |              |
| KS604F     | 400           | 56            | 545                     | 40 or 55 | 1489                       | 211.90       |
| KS606F     | 600           | 56            | 545                     | 40 or 55 | 2233                       | 253.72       |
| KS608F     | 800           | 56            | 545                     | 40 or 55 | 2977                       | 308.35       |
| KS610F     | 1000          | 56            | 545                     | 40 or 55 | 3722                       | 363.17       |
| KS612F     | 1200          | 56            | 545                     | 40 or 55 | 4466                       | 408.28       |
| KS614F     | 1400          | 56            | 545                     | 40 or 55 | 5211                       | 475.50       |
| KS616F     | 1600          | 56            | 545                     | 40 or 55 | 5955                       | 523.33       |
| KS618F     | 1800          | 56            | 545                     | 40 or 55 | 6699                       | 569.64       |
| KS620F     | 2000          | 56            | 545                     | 40 or 55 | 7444                       | 616.50       |

**TYPE 22 Double Convactor**



| Code       | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |              | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|------------|---------------|---------------|-------------------------|--------------|----------------------------|--------------|
|            |               |               | (c1)                    | (c2)         |                            |              |
| 400mm high |               |               |                         |              |                            |              |
| KD406F     | 600           | 105           | 345                     | 82.5 or 97.5 | 3133                       | 283.19       |
| KD408F     | 800           | 105           | 345                     | 82.5 or 97.5 | 4178                       | 346.32       |
| KD410F     | 1000          | 105           | 345                     | 82.5 or 97.5 | 5222                       | 409.64       |
| KD412F     | 1200          | 105           | 345                     | 82.5 or 97.5 | 6266                       | 480.72       |
| KD414F     | 1400          | 105           | 345                     | 82.5 or 97.5 | 7311                       | 540.40       |
| KD416F     | 1600          | 105           | 345                     | 82.5 or 97.5 | 8355                       | 606.62       |
| 500mm high |               |               |                         |              |                            |              |
| KD504F     | 400           | 105           | 445                     | 82.5 or 97.5 | 2499                       | 263.03       |
| KD506F     | 600           | 105           | 445                     | 82.5 or 97.5 | 3748                       | 324.04       |
| KD508F     | 800           | 105           | 445                     | 82.5 or 97.5 | 4997                       | 401.33       |
| KD510F     | 1000          | 105           | 445                     | 82.5 or 97.5 | 6247                       | 479.18       |
| KD512F     | 1200          | 105           | 445                     | 82.5 or 97.5 | 7496                       | 564.60       |
| KD514F     | 1400          | 105           | 445                     | 82.5 or 97.5 | 8746                       | 637.22       |
| KD516F     | 1600          | 105           | 445                     | 82.5 or 97.5 | 9995                       | 708.89       |
| 600mm high |               |               |                         |              |                            |              |
| KD604F     | 400           | 105           | 545                     | 82.5 or 97.5 | 2876                       | 290.53       |
| KD606F     | 600           | 105           | 545                     | 82.5 or 97.5 | 4314                       | 363.17       |
| KD608F     | 800           | 105           | 545                     | 82.5 or 97.5 | 5752                       | 454.96       |
| KD610F     | 1000          | 105           | 545                     | 82.5 or 97.5 | 7190                       | 546.38       |
| KD612F     | 1200          | 105           | 545                     | 82.5 or 97.5 | 8627                       | 645.76       |
| KD614F     | 1400          | 105           | 545                     | 82.5 or 97.5 | 10065                      | 731.94       |
| KD616F     | 1600          | 105           | 545                     | 82.5 or 97.5 | 11503                      | 816.78       |
| KD618F     | 1800          | 105           | 545                     | 82.5 or 97.5 | 12941                      | 899.68       |
| KD620F     | 2000          | 105           | 545                     | 82.5 or 97.5 | 14379                      | 983.54       |



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

| Code               | Width (mm) | Depth (mm) | Tapping Centres (mm) |      | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|------------|------------|----------------------|------|---------------------------------------------|-----------|
|                    |            |            | (c1)                 | (c2) |                                             |           |
| <b>1800mm high</b> |            |            |                      |      |                                             |           |
| SV318F             | 300        | 52.5       | 245                  | 42   | 1672                                        | 380.02    |
| SV418F             | 400        | 52.5       | 345                  | 42   | 2235                                        | 432.49    |
| SV518F             | 500        | 52.5       | 445                  | 42   | 2791                                        | 486.16    |
| SV618F             | 600        | 52.5       | 545                  | 42   | 3371                                        | 545.80    |

TYPE 20 Double Panel (With Side Panels)

| Code               | Width (mm) | Depth (mm) | Tapping Centres (mm) |      | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|------------|------------|----------------------|------|---------------------------------------------|-----------|
|                    |            |            | (c1)                 | (c2) |                                             |           |
| <b>1800mm high</b> |            |            |                      |      |                                             |           |
| DV318F             | 300        | 72.5       | 245                  | 59   | 2774                                        | 545.80    |
| DV418F             | 400        | 72.5       | 345                  | 59   | 3709                                        | 622.72    |
| DV518F             | 500        | 72.5       | 445                  | 59   | 4603                                        | 704.45    |
| DV618F             | 600        | 72.5       | 545                  | 59   | 5521                                        | 780.36    |
| <b>2000mm high</b> |            |            |                      |      |                                             |           |
| DV420F             | 400        | 72.5       | 345                  | 59   | 4159                                        | 667.25    |

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.


# K-Flat Premium Kompact Horizontal




**5** Year Guarantee



**Type 11 Single Convector**



**Type 22 Double Convactor**



**TYPE 11 Single Convactor**


| Code       | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |          | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|------------|---------------|---------------|-------------------------|----------|----------------------------|--------------|
|            |               |               | (c1)                    | (c2)     |                            |              |
| 400mm high |               |               |                         |          |                            |              |
| KS406FP    | 600           | 56            | 345                     | 40 or 55 | 1586                       | 251.99       |
| KS408FP    | 800           | 56            | 345                     | 40 or 55 | 2115                       | 298.49       |
| KS410FP    | 1000          | 56            | 345                     | 40 or 55 | 2644                       | 345.36       |
| KS412FP    | 1200          | 56            | 345                     | 40 or 55 | 3173                       | 400.54       |
| KS414FP    | 1400          | 56            | 345                     | 40 or 55 | 3701                       | 443.35       |
| KS416FP    | 1600          | 56            | 345                     | 40 or 55 | 4230                       | 493.51       |
| 500mm high |               |               |                         |          |                            |              |
| KS504FP    | 400           | 56            | 445                     | 40 or 55 | 1279                       | 237.84       |
| KS506FP    | 600           | 56            | 445                     | 40 or 55 | 1918                       | 280.27       |
| KS508FP    | 800           | 56            | 445                     | 40 or 55 | 2558                       | 336.42       |
| KS510FP    | 1000          | 56            | 445                     | 40 or 55 | 3197                       | 393.58       |
| KS512FP    | 1200          | 56            | 445                     | 40 or 55 | 3837                       | 460.39       |
| KS514FP    | 1400          | 56            | 445                     | 40 or 55 | 4476                       | 511.32       |
| KS516FP    | 1600          | 56            | 445                     | 40 or 55 | 5116                       | 560.92       |
| 600mm high |               |               |                         |          |                            |              |
| KS604FP    | 400           | 56            | 545                     | 40 or 55 | 1489                       | 254.32       |
| KS606FP    | 600           | 56            | 545                     | 40 or 55 | 2233                       | 304.48       |
| KS608FP    | 800           | 56            | 545                     | 40 or 55 | 2977                       | 370.13       |
| KS610FP    | 1000          | 56            | 545                     | 40 or 55 | 3722                       | 435.79       |
| KS612FP    | 1200          | 56            | 545                     | 40 or 55 | 4466                       | 490.02       |
| KS614FP    | 1400          | 56            | 545                     | 40 or 55 | 5211                       | 570.42       |
| KS616FP    | 1600          | 56            | 545                     | 40 or 55 | 5955                       | 628.13       |
| KS618FP    | 1800          | 56            | 545                     | 40 or 55 | 6699                       | 683.51       |
| KS620FP    | 2000          | 56            | 545                     | 40 or 55 | 7444                       | 739.87       |

**TYPE 22 Double Convactor**



| Code       | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |              | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|------------|---------------|---------------|-------------------------|--------------|----------------------------|--------------|
|            |               |               | (c1)                    | (c2)         |                            |              |
| 400mm high |               |               |                         |              |                            |              |
| KD406FP    | 600           | 105           | 345                     | 82.5 or 97.5 | 3133                       | 339.92       |
| KD408FP    | 800           | 105           | 345                     | 82.5 or 97.5 | 4178                       | 415.64       |
| KD410FP    | 1000          | 105           | 345                     | 82.5 or 97.5 | 5222                       | 491.76       |
| KD412FP    | 1200          | 105           | 345                     | 82.5 or 97.5 | 6266                       | 576.80       |
| KD414FP    | 1400          | 105           | 345                     | 82.5 or 97.5 | 7311                       | 648.66       |
| KD416FP    | 1600          | 105           | 345                     | 82.5 or 97.5 | 8355                       | 728.06       |
| 500mm high |               |               |                         |              |                            |              |
| KD504FP    | 400           | 105           | 445                     | 82.5 or 97.5 | 2499                       | 315.71       |
| KD506FP    | 600           | 105           | 445                     | 82.5 or 97.5 | 3748                       | 388.73       |
| KD508FP    | 800           | 105           | 445                     | 82.5 or 97.5 | 4997                       | 481.50       |
| KD510FP    | 1000          | 105           | 445                     | 82.5 or 97.5 | 6247                       | 575.05       |
| KD512FP    | 1200          | 105           | 445                     | 82.5 or 97.5 | 7496                       | 677.51       |
| KD514FP    | 1400          | 105           | 445                     | 82.5 or 97.5 | 8746                       | 764.68       |
| KD516FP    | 1600          | 105           | 445                     | 82.5 or 97.5 | 9995                       | 850.67       |
| 600mm high |               |               |                         |              |                            |              |
| KD604FP    | 400           | 105           | 545                     | 82.5 or 97.5 | 2876                       | 348.82       |
| KD606FP    | 600           | 105           | 545                     | 82.5 or 97.5 | 4314                       | 435.79       |
| KD608FP    | 800           | 105           | 545                     | 82.5 or 97.5 | 5752                       | 546.00       |
| KD610FP    | 1000          | 105           | 545                     | 82.5 or 97.5 | 7190                       | 655.64       |
| KD612FP    | 1200          | 105           | 545                     | 82.5 or 97.5 | 8627                       | 774.95       |
| KD614FP    | 1400          | 105           | 545                     | 82.5 or 97.5 | 10065                      | 878.38       |
| KD616FP    | 1600          | 105           | 545                     | 82.5 or 97.5 | 11503                      | 980.05       |
| KD618FP    | 1800          | 105           | 545                     | 82.5 or 97.5 | 12941                      | 1079.62      |
| KD620FP    | 2000          | 105           | 545                     | 82.5 or 97.5 | 14379                      | 1180.14      |



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

| Code        | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |      | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|-------------|---------------|---------------|-------------------------|------|----------------------------|--------------|
|             |               |               | (c1)                    | (c2) |                            |              |
| 1800mm high |               |               |                         |      |                            |              |
| SV318FP     | 300           | 52.5          | 245                     | 42   | 1672                       | 436.96       |
| SV418FP     | 400           | 52.5          | 345                     | 42   | 2235                       | 497.39       |
| SV518FP     | 500           | 52.5          | 445                     | 42   | 2791                       | 558.97       |
| SV618FP     | 600           | 52.5          | 545                     | 42   | 3371                       | 627.74       |


TYPE 20 Double Panel (With Side Panels)


| Code        | Width<br>(mm) | Depth<br>(mm) | Tapping Centres<br>(mm) |      | Output<br>Δt60°C<br>(BTUs) | Price<br>(£) |
|-------------|---------------|---------------|-------------------------|------|----------------------------|--------------|
|             |               |               | (c1)                    | (c2) |                            |              |
| 1800mm high |               |               |                         |      |                            |              |
| DV318FP     | 300           | 72.5          | 245                     | 59   | 2774                       | 627.74       |
| DV418FP     | 400           | 72.5          | 345                     | 59   | 3709                       | 716.05       |
| DV518FP     | 500           | 72.5          | 445                     | 59   | 4603                       | 810.19       |
| DV618FP     | 600           | 72.5          | 545                     | 59   | 5521                       | 897.35       |

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.



| Product Code | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|------------|----------------------|----|--------------------------------------------|-----------|
| 581mm high   |            |            |                      |    |                                            |           |
| VER500-05    | 400        | 95         | 400                  | 65 | 2,538                                      | 198.68    |
| VER500-08    | 640        | 95         | 640                  | 65 | 4,060                                      | 297.02    |
| VER500-10    | 800        | 95         | 800                  | 65 | 5,075                                      | 360.74    |
| VER500-13    | 1040       | 95         | 1040                 | 65 | 6,598                                      | 459.08    |
| VER500-15    | 1200       | 95         | 1200                 | 65 | 7,613                                      | 524.68    |
| VER500-18    | 1440       | 95         | 1440                 | 65 | 9,136                                      | 626.92    |
| 681mm high   |            |            |                      |    |                                            |           |
| VER600-05    | 400        | 95         | 400                  | 65 | 3,091                                      | 206.37    |
| VER600-08    | 640        | 95         | 640                  | 65 | 4,946                                      | 308.60    |
| VER600-10    | 800        | 95         | 800                  | 65 | 6,182                                      | 378.12    |
| VER600-13    | 1040       | 95         | 1040                 | 65 | 8,037                                      | 482.24    |
| VER600-15    | 1200       | 95         | 1200                 | 65 | 9,273                                      | 549.72    |
| VER600-18    | 1440       | 95s        | 1440                 | 65 | 11,128                                     | 659.64    |






| Product Code | Width (mm) | Depth (mm) | Tapping Centres (mm) |    | Output<br>Δt60°C (BTUs) | Price (£) |
|--------------|------------|------------|----------------------|----|-------------------------|-----------|
| 1870m high   |            |            |                      |    |                         |           |
| VER1800-03HI | 240        | 100        | 240                  | 65 | 3,691                   | 518.09    |
| VER1800-04HI | 320        | 100        | 320                  | 65 | 4,922                   | 707.86    |
| VER1800-05HI | 400        | 100        | 400                  | 65 | 6,152                   | 819.82    |
| VER1800-06HI | 480        | 100        | 480                  | 65 | 7,382                   | 968.40    |
| VER1800-07HI | 560        | 100        | 560                  | 65 | 8,613                   | 1147.68   |




| Product Code | Width (mm) | Depth (mm) | Tapping Centres (mm) |         | No. of Sections | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|------------|----------------------|---------|-----------------|---------------------------------------------|-----------|
| 760mm high   |            |            |                      |         |                 |                                             |           |
| 600/180/6    | 456        | 180        | 476                  | 122/132 | 6               | 3132                                        | 723.48    |
| 954mm high   |            |            |                      |         |                 |                                             |           |
| 800/180/6    | 456        | 180        | 476                  | 122/132 | 6               | 3906                                        | 976.62    |



Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA  
Please ensure that you have a joining key, to check all joints are tight before installing.



Shown finished in Black RAL9005




Supplied in dark grey primer RAL7022 as shown left.

| Product Code      | Width (mm) | Depth (mm) | Tapping Centres (mm) | No. of Sections | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|-------------------|------------|------------|----------------------|-----------------|---------------------------------------------|-----------|
| <b>660mm high</b> |            |            |                      |                 |                                             |           |
| <b>4/65/10</b>    | 600        | 144        | 620                  | 10              | 4007                                        | 753.84    |
| <b>4/65/13</b>    | 780        | 144        | 800                  | 13              | 5209                                        | 985.37    |
| <b>4/65/17</b>    | 1020       | 144        | 1040                 | 17              | 6812                                        | 1275.97   |
| <b>4/65/21</b>    | 1260       | 144        | 1280                 | 21              | 8414                                        | 1566.59   |
| <b>760mm high</b> |            |            |                      |                 |                                             |           |
| <b>4/75/10</b>    | 600        | 144        | 620                  | 10              | 4652                                        | 836.03    |
| <b>4/75/13</b>    | 780        | 144        | 800                  | 13              | 6047                                        | 1092.31   |
| <b>4/75/17</b>    | 1020       | 144        | 1040                 | 17              | 7908                                        | 1415.92   |
| <b>4/75/21</b>    | 1260       | 144        | 1280                 | 21              | 9768                                        | 1739.38   |

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA  
Please ensure that you have a joining key, to check all joints are tight before installing.



| Product Code | Height (mm) | Width (mm) | Tapping<br>Centres (mm) | Output<br>$\Delta t60^{\circ}\text{C}$ (BTUs) | Price<br>(£) |
|--------------|-------------|------------|-------------------------|-----------------------------------------------|--------------|
| SJC-1        | 1300        | 600        | 100                     | 2786                                          | 674.94       |






Chrome  
Plated




5 Year  
Guarantee


# Miami



| Product Code            | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|-------------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>MIA (Horizontal)</b> | 450         | 1400       | 1350                 | 1708                                        | 502.50    |
| <b>MIA (Vertical)</b>   | 1400        | 450        | 1350                 | 1708                                        | 502.50    |




| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |  |  |
|--------------|-------------|------------|----------------------|--------------------------------------------|-----------|---------------------------------------------------------------------------------------|--|
| CVG          | 2000        | 351        | 50                   | 4628                                       | 688.66    |                                                                                       |  |




| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|--------------|-------------|------------|----------------------|--------------------------------------------|---------------|
| <b>MCI</b>   | 2000        | 276        | 50                   | 5369                                       | <b>823.60</b> |



| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|--------------------------------------------|-----------|
| LAX          | 1604        | 500        | 50                   | 4778                                       | 548.50    |







| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|--------------------------------------------|-----------|
| <b>LAS</b>   | 945         | 675        | 528                  | 5521                                       | 449.00    |
| <b>LAS-1</b> | 945         | 500        | 356                  | 3013                                       | 429.00    |



| Product Code | Height (mm)           | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-----------------------|------------|----------------------|---------------------------------------------|-----------|
| IDA15-0240   | 1500                  | 240        | 200                  | 2667                                        | 788.77    |
| IDA15-0340   | 1500                  | 340        | 300                  | 3735                                        | 1104.04   |
| IDA18-0240   | 1800                  | 240        | 200                  | 3200                                        | 910.00    |
| IDA18-0340   | 1800                  | 340        | 300                  | 4483                                        | 1181.57   |
| IDA18-0440   | 1800                  | 440        | 400                  | 5780                                        | 1508.12   |
| ZXIDA        | Optional Towel Holder |            |                      |                                             | 221.07    |







| Product Code       | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>TOL500-1200</b> | 1200        | 500        | 445                  | 2770                                        | 672.16    |
| <b>TOL600-1200</b> | 1200        | 600        | 545                  | 3440                                        | 806.84    |



| Product Code       | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>MET800-500</b>  | 800         | 500        | 475                  | 1701                                        | 279.00    |
| <b>MET800-600</b>  | 800         | 600        | 575                  | 1841                                        | 294.00    |
| <b>MET1200-500</b> | 1200        | 500        | 475                  | 2192                                        | 399.00    |
| <b>MET1200-600</b> | 1200        | 600        | 575                  | 2625                                        | 419.00    |






| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>OHI500-800P</b>  | 800         | 500        | 450                  | 2321                                        | 569.00    |
| <b>OHI500-1200P</b> | 1200        | 500        | 450                  | 3480                                        | 729.00    |




| Product Code       | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>CON500-900</b>  | 900         | 500        | 472                  | 843                                         | 509.18    |
| <b>CON350-1200</b> | 1200        | 350        | 322                  | 891                                         | 476.78    |
| <b>CON500-1200</b> | 1200        | 500        | 472                  | 1124                                        | 646.55    |
| <b>CON350-1800</b> | 1800        | 350        | 322                  | 1050                                        | 630.41    |
| <b>CON500-1800</b> | 1800        | 500        | 472                  | 1323                                        | 887.42    |





## Straight




| Product Code       | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>ORL500-720</b>  | 720         | 500        | 468                  | 1556                                        | 370.12    |
| <b>ORL600-720</b>  | 720         | 600        | 568                  | 1682                                        | 428.36    |
| <b>ORL500-1200</b> | 1200        | 500        | 468                  | 2410                                        | 551.17    |
| <b>ORL600-1200</b> | 1200        | 600        | 568                  | 2564                                        | 591.58    |
| <b>ORL500-1500</b> | 1500        | 500        | 468                  | 2853                                        | 669.12    |
| <b>ORL600-1500</b> | 1500        | 600        | 568                  | 3022                                        | 709.52    |


## Curved

| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>ORL500-720C</b>  | 720         | 500        | 468                  | 1556                                        | 421.93    |
| <b>ORL600-720C</b>  | 720         | 600        | 568                  | 1682                                        | 462.34    |
| <b>ORL500-1200C</b> | 1200        | 500        | 468                  | 2140                                        | 617.42    |
| <b>ORL600-1200C</b> | 1200        | 600        | 568                  | 2564                                        | 683.68    |
| <b>ORL500-1500C</b> | 1500        | 500        | 468                  | 2853                                        | 732.22    |



| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|--------------------------------------------|-----------|
| EWR          | 952         | 500        | 86         | 462                  | 1201                                       | 319.00    |
| EWR-1        | 1306        | 500        | 86         | 462                  | 1703                                       | 359.00    |






| Product Code       | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------------|-------------|------------|------------|----------------------|--------------------------------------------|-----------|
| <b>MEM500-1200</b> | 1200        | 500        | 65         | 450                  | 2079                                       | 389.00    |
| <b>MEM600-1200</b> | 1200        | 600        | 65         | 550                  | 2390                                       | 429.00    |




| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|--------------------------------------------|-----------|
| ATL500-1200A | 1185        | 500        | 440                  | 2490                                       | 399.00    |



Chrome  
Plated

5 Year  
Guarantee

# Mode




| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>MOD500-800C</b>  | 800         | 500        | 470                  | 900                                         | 309.00    |
| <b>MOD500-1200C</b> | 1200        | 500        | 470                  | 1400                                        | 399.00    |




Oregon Chrome Designer Rail

| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|---------------------|-------------|------------|----------------------|--------------------------------------------|---------------|
| <b>ORE500-1200C</b> | 1180        | 500        | 100                  | 2140 BTU                                   | <b>409.00</b> |



Oregon Anthracite Designer Rail

| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|---------------------|-------------|------------|----------------------|--------------------------------------------|---------------|
| <b>ORE500-1200A</b> | 1180        | 500        | 100                  | 1652                                       | <b>434.00</b> |







| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>VEN850-500A</b>  | 850         | 500        | 450                  | 1943                                        | 329.00    |
| <b>VEN1100-500A</b> | 1100        | 500        | 450                  | 2682                                        | 399.00    |
| <b>VEN1500-500A</b> | 1500        | 500        | 450                  | 3643                                        | 499.00    |



| Product Code | Height (mm) | Width (mm) | Depth (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|------------|----------------------|---------------------------------------------|-----------|
|--------------|-------------|------------|------------|----------------------|---------------------------------------------|-----------|

|     |      |     |     |     |      |        |
|-----|------|-----|-----|-----|------|--------|
| PHX | 1150 | 500 | 151 | 400 | 1945 | 358.10 |
|-----|------|-----|-----|-----|------|--------|






| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|--------------|-------------|------------|----------------------|---------------------------------------------|---------------|
| <b>JFK</b>   | 906         | 500        | 100                  | 1198                                        | <b>349.00</b> |




## Kolumn White Designer Rail

| Product Code         | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|----------------------|-------------|------------|----------------------|---------------------------------------------|---------------|
| <b>KOL832-500WT</b>  | 832         | 500        | 425                  | 2186                                        | <b>329.00</b> |
| <b>KOL1140-500WT</b> | 1140        | 500        | 425                  | 3295                                        | <b>429.00</b> |



## Kolumn Anthracite Designer Rail


| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£)     |
|---------------------|-------------|------------|----------------------|---------------------------------------------|---------------|
| <b>KOL832-500A</b>  | 832         | 500        | 425                  | 2186                                        | <b>329.00</b> |
| <b>KOL1140-500A</b> | 1140        | 500        | 425                  | 3295                                        | <b>429.00</b> |






Denver White Designer Rail

| Product Code  | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------|------------|-------------|----------------------|--------------------------------------------|-----------|
| DEN500-600WT  | 600        | 500         | 400                  | 1844                                       | 299.00    |
| DEN500-1000WT | 1000       | 500         | 800                  | 2620                                       | 399.00    |




Denver Anthracite Designer Rail


| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|--------------------------------------------|-----------|
| DEN500-600A  | 500         | 600        | 400                  | 1844                                       | 299.00    |
| DEN500-1000A | 500         | 1000       | 800                  | 2620                                       | 399.00    |





| Product Code  | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|---------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| MAL1200-500BB | 1200        | 500        | 450                  | 1889 BTU                                    | £599.00   |







| Product Code        | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£)      |
|---------------------|-------------|------------|----------------------|---------------------------------------------|----------------|
| <b>TAM850-500A</b>  | 850         | 500        | 300                  | 2047 BTU                                    | <b>£299.00</b> |
| <b>TAM1200-500A</b> | 1200        | 500        | 300                  | 2833 BTU                                    | <b>£379.00</b> |



| Product Code | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| OAK          | 916         | 500        | 300                  | 1411                                        | 329.00    |
| OAK-1        | 1176        | 500        | 300                  | 1820                                        | 369.00    |





| Product Code   | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|----------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>SQR508C</b> | 800         | 500        | 455                  | 1310                                        | 202.06    |
| <b>SQR608C</b> | 800         | 600        | 555                  | 1520                                        | 227.47    |
| <b>SQR512C</b> | 1200        | 500        | 455                  | 1910                                        | 278.30    |
| <b>SQR612C</b> | 1200        | 600        | 555                  | 2200                                        | 303.72    |
| <b>SQR516C</b> | 1600        | 500        | 455                  | 2495                                        | 354.54    |
| <b>SQR616C</b> | 1600        | 600        | 555                  | 2890                                        | 392.67    |


# K-Rail 22mm Black

**M** Matt Finish


**5** 5 Year Guarantee




| Product Code   | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|----------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>STR408B</b> | 800         | 400        | 355                  | 1567                                        | 123.00    |
| <b>STR410B</b> | 1000        | 400        | 355                  | 1868                                        | 144.00    |
| <b>STR412B</b> | 1200        | 400        | 355                  | 2274                                        | 159.00    |
| <b>STR416B</b> | 1600        | 400        | 355                  | 3006                                        | 195.00    |
| <b>STR508B</b> | 800         | 500        | 455                  | 1856                                        | 132.00    |
| <b>STR510B</b> | 1000        | 500        | 455                  | 2194                                        | 161.65    |
| <b>STR512B</b> | 1200        | 500        | 455                  | 2680                                        | 185.35    |
| <b>STR516B</b> | 1600        | 500        | 455                  | 3540                                        | 213.00    |
| <b>STR608B</b> | 800         | 600        | 555                  | 2151                                        | 141.00    |
| <b>STR610B</b> | 1000        | 600        | 555                  | 2538                                        | 162.00    |
| <b>STR612B</b> | 1200        | 600        | 555                  | 3109                                        | 190.72    |
| <b>STR616B</b> | 1600        | 600        | 555                  | 4105                                        | 228.00    |



Tube diameter  
22mm





| Product Code   | Height (mm) | Width (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|----------------|-------------|------------|----------------------|---------------------------------------------|-----------|
| <b>STR408A</b> | 800         | 400        | 355                  | 1567                                        | 123.00    |
| <b>STR410A</b> | 1000        | 400        | 355                  | 1868                                        | 144.00    |
| <b>STR412A</b> | 1200        | 400        | 355                  | 2274                                        | 159.00    |
| <b>STR416A</b> | 1600        | 400        | 355                  | 3006                                        | 195.00    |
| <b>STR508A</b> | 800         | 500        | 455                  | 1856                                        | 132.00    |
| <b>STR510A</b> | 1000        | 500        | 455                  | 2194                                        | 161.65    |
| <b>STR512A</b> | 1200        | 500        | 455                  | 2680                                        | 185.35    |
| <b>STR516A</b> | 1600        | 500        | 455                  | 3540                                        | 213.00    |
| <b>STR608A</b> | 800         | 600        | 555                  | 2151                                        | 141.00    |
| <b>STR610A</b> | 1000        | 600        | 555                  | 2538                                        | 162.00    |
| <b>STR612A</b> | 1200        | 600        | 555                  | 3109                                        | 190.72    |
| <b>STR616A</b> | 1600        | 600        | 555                  | 4105                                        | 228.00    |

# Coloured K-Rails

**G** Gloss  
Finish

**5** 5 Year  
Guarantee



Notes: Max operating pressure 7 bar.

**Make a statement with our coloured K-Rails. Available in 7 bold colours.**



## 22mm Straight

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| STR308       | 300        | 800         | 255                  | 1364                                        | 141.84    |
| STR408       | 400        | 800         | 355                  | 1567                                        | 145.05    |
| STR508       | 500        | 800         | 455                  | 1856                                        | 149.63    |
| STR608       | 600        | 800         | 555                  | 2151                                        | 154.09    |
| STR310       | 300        | 1000        | 255                  | 1626                                        | 151.57    |
| STR410       | 400        | 1000        | 355                  | 1868                                        | 155.35    |
| STR510       | 500        | 1000        | 455                  | 2194                                        | 161.65    |
| STR610       | 600        | 1000        | 555                  | 2538                                        | 164.39    |
| STR312       | 300        | 1200        | 255                  | 1978                                        | 173.44    |
| STR412       | 400        | 1200        | 355                  | 2274                                        | 177.67    |
| STR512       | 500        | 1200        | 455                  | 2680                                        | 185.34    |
| STR612       | 600        | 1200        | 555                  | 3109                                        | 190.72    |
| STR316       | 300        | 1600        | 255                  | 2614                                        | 204.23    |
| STR416       | 400        | 1600        | 355                  | 3006                                        | 209.50    |
| STR516       | 500        | 1600        | 455                  | 3540                                        | 218.43    |
| STR616       | 600        | 1600        | 555                  | 4105                                        | 225.18    |
| STR518       | 500        | 1800        | 455                  | 4069                                        | 273.95    |
| STR618       | 600        | 1800        | 555                  | 4720                                        | 285.97    |

## 22mm Curved

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| CTR308       | 300        | 800         | 255                  | 1364                                        | 145.16    |
| CTR408       | 400        | 800         | 355                  | 1567                                        | 148.94    |
| CTR508       | 500        | 800         | 455                  | 1856                                        | 153.40    |
| CTR608       | 600        | 800         | 555                  | 2151                                        | 157.87    |
| CTR310       | 300        | 1000        | 255                  | 1626                                        | 155.46    |
| CTR410       | 400        | 1000        | 355                  | 1868                                        | 159.59    |
| CTR510       | 500        | 1000        | 455                  | 2194                                        | 166.22    |
| CTR610       | 600        | 1000        | 555                  | 2538                                        | 169.09    |
| CTR312       | 300        | 1200        | 255                  | 1978                                        | 177.79    |
| CTR412       | 400        | 1200        | 355                  | 2274                                        | 182.25    |
| CTR512       | 500        | 1200        | 455                  | 2680                                        | 190.38    |
| CTR612       | 600        | 1200        | 555                  | 3109                                        | 196.10    |
| CTR316       | 300        | 1600        | 255                  | 2614                                        | 209.61    |
| CTR416       | 400        | 1600        | 355                  | 3006                                        | 213.28    |
| CTR516       | 500        | 1600        | 455                  | 3540                                        | 222.21    |
| CTR616       | 600        | 1600        | 555                  | 4105                                        | 228.96    |
| CTR518       | 500        | 1800        | 455                  | 4069                                        | 281.74    |
| CTR618       | 600        | 1800        | 555                  | 4720                                        | 294.56    |

Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.

Finished in RAL 9016




## 22mm Straight

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| STR308W      | 300        | 800         | 255                  | 1364                                        | 55.98     |
| STR408W      | 400        | 800         | 355                  | 1567                                        | 59.19     |
| STR508W      | 500        | 800         | 455                  | 1856                                        | 63.77     |
| STR608W      | 600        | 800         | 555                  | 2151                                        | 68.23     |
| STR310W      | 300        | 1000        | 255                  | 1626                                        | 65.71     |
| STR410W      | 400        | 1000        | 355                  | 1868                                        | 69.49     |
| STR510W      | 500        | 1000        | 455                  | 2194                                        | 75.79     |
| STR610W      | 600        | 1000        | 555                  | 2538                                        | 78.53     |
| STR312W      | 300        | 1200        | 255                  | 1978                                        | 73.27     |
| STR412W      | 400        | 1200        | 355                  | 2274                                        | 77.50     |
| STR512W      | 500        | 1200        | 455                  | 2680                                        | 85.17     |
| STR612W      | 600        | 1200        | 555                  | 3109                                        | 90.55     |
| STR316W      | 300        | 1600        | 255                  | 2614                                        | 89.75     |
| STR416W      | 400        | 1600        | 355                  | 3006                                        | 95.02     |
| STR516W      | 500        | 1600        | 455                  | 3540                                        | 103.95    |
| STR616W      | 600        | 1600        | 555                  | 4105                                        | 110.70    |
| STR518W      | 500        | 1800        | 455                  | 4069                                        | 130.85    |
| STR618W      | 600        | 1800        | 555                  | 4720                                        | 142.87    |

## 22mm Curved

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| CTR308W      | 300        | 800         | 255                  | 1364                                        | 59.30     |
| CTR408W      | 400        | 800         | 355                  | 1567                                        | 63.08     |
| CTR508W      | 500        | 800         | 455                  | 1856                                        | 67.54     |
| CTR608W      | 600        | 800         | 555                  | 2151                                        | 72.01     |
| CTR310W      | 300        | 1000        | 255                  | 1626                                        | 69.60     |
| CTR410W      | 400        | 1000        | 355                  | 1868                                        | 73.73     |
| CTR510W      | 500        | 1000        | 455                  | 2194                                        | 80.36     |
| CTR610W      | 600        | 1000        | 555                  | 2538                                        | 83.23     |
| CTR312W      | 300        | 1200        | 255                  | 1978                                        | 77.62     |
| CTR412W      | 400        | 1200        | 355                  | 2274                                        | 82.08     |
| CTR512W      | 500        | 1200        | 455                  | 2680                                        | 90.21     |
| CTR612W      | 600        | 1200        | 555                  | 3109                                        | 95.93     |
| CTR316W      | 300        | 1600        | 255                  | 2614                                        | 95.13     |
| CTR416W      | 400        | 1600        | 355                  | 3006                                        | 98.80     |
| CTR516W      | 500        | 1600        | 455                  | 3540                                        | 107.73    |
| CTR616W      | 600        | 1600        | 555                  | 4105                                        | 114.48    |
| CTR518W      | 500        | 1800        | 455                  | 4069                                        | 138.64    |
| CTR618W      | 600        | 1800        | 555                  | 4720                                        | 151.46    |




Notes: Max operating pressure 7 bar.

## 22mm Straight

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| STR308C      | 300        | 800         | 255                  | 957                                         | 81.17     |
| STR408C      | 400        | 800         | 355                  | 1100                                        | 85.86     |
| STR508C      | 500        | 800         | 455                  | 1302                                        | 92.39     |
| STR608C      | 600        | 800         | 555                  | 1509                                        | 98.80     |
| STR310C      | 300        | 1000        | 255                  | 1140                                        | 95.25     |
| STR410C      | 400        | 1000        | 355                  | 1311                                        | 100.74    |
| STR510C      | 500        | 1000        | 455                  | 1540                                        | 109.79    |
| STR610C      | 600        | 1000        | 555                  | 1781                                        | 113.79    |
| STR312C      | 300        | 1200        | 255                  | 1388                                        | 106.12    |
| STR412C      | 400        | 1200        | 355                  | 1595                                        | 112.30    |
| STR512C      | 500        | 1200        | 455                  | 1881                                        | 123.41    |
| STR612C      | 600        | 1200        | 555                  | 2182                                        | 131.19    |
| STR316C      | 300        | 1600        | 255                  | 1835                                        | 130.16    |
| STR416C      | 400        | 1600        | 355                  | 2108                                        | 137.72    |
| STR516C      | 500        | 1600        | 455                  | 2484                                        | 150.66    |
| STR616C      | 600        | 1600        | 555                  | 2881                                        | 160.39    |
| STR518C      | 500        | 1800        | 455                  | 2855                                        | 189.58    |
| STR618C      | 600        | 1800        | 555                  | 3312                                        | 207.09    |

## 22mm Curved

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| CTR308C      | 300        | 800         | 255                  | 957                                         | 85.97     |
| CTR408C      | 400        | 800         | 355                  | 1100                                        | 91.36     |
| CTR508C      | 500        | 800         | 455                  | 1302                                        | 97.88     |
| CTR608C      | 600        | 800         | 555                  | 1509                                        | 104.29    |
| CTR310C      | 300        | 1000        | 255                  | 1140                                        | 100.97    |
| CTR410C      | 400        | 1000        | 355                  | 1311                                        | 106.81    |
| CTR510C      | 500        | 1000        | 455                  | 1540                                        | 116.43    |
| CTR610C      | 600        | 1000        | 555                  | 1781                                        | 120.55    |
| CTR312C      | 300        | 1200        | 255                  | 1388                                        | 112.42    |
| CTR412C      | 400        | 1200        | 355                  | 1595                                        | 119.06    |
| CTR512C      | 500        | 1200        | 455                  | 1881                                        | 130.74    |
| CTR612C      | 600        | 1200        | 555                  | 2182                                        | 139.09    |
| CTR316C      | 300        | 1600        | 255                  | 1835                                        | 137.95    |
| CTR416C      | 400        | 1600        | 355                  | 2108                                        | 143.21    |
| CTR516C      | 500        | 1600        | 455                  | 2484                                        | 156.15    |
| CTR616C      | 600        | 1600        | 555                  | 2881                                        | 165.88    |
| CTR518C      | 500        | 1800        | 455                  | 2855                                        | 200.91    |
| CTR618C      | 600        | 1800        | 555                  | 3312                                        | 219.46    |



Notes: Max operating pressure 7 bar.






## 25mm Straight

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| 25STR308C    | 300        | 800         | 255                  | 1106                                        | 107.95    |
| 25STR408C    | 400        | 800         | 355                  | 1272                                        | 111.85    |
| 25STR508C    | 500        | 800         | 455                  | 1506                                        | 120.78    |
| 25STR608C    | 600        | 800         | 555                  | 1746                                        | 124.55    |
| 25STR310C    | 300        | 1000        | 255                  | 1319                                        | 120.78    |
| 25STR410C    | 400        | 1000        | 355                  | 1516                                        | 124.55    |
| 25STR510C    | 500        | 1000        | 455                  | 1781                                        | 133.48    |
| 25STR610C    | 600        | 1000        | 555                  | 2060                                        | 137.26    |
| 25STR312C    | 300        | 1200        | 255                  | 1605                                        | 133.48    |
| 25STR412C    | 400        | 1200        | 355                  | 1845                                        | 137.26    |
| 25STR512C    | 500        | 1200        | 455                  | 2175                                        | 146.08    |
| 25STR612C    | 600        | 1200        | 555                  | 2524                                        | 149.97    |
| 25STR316C    | 300        | 1600        | 255                  | 2122                                        | 158.90    |
| 25STR416C    | 400        | 1600        | 355                  | 2439                                        | 162.68    |
| 25STR516C    | 500        | 1600        | 455                  | 2873                                        | 171.61    |
| 25STR616C    | 600        | 1600        | 555                  | 3332                                        | 188.09    |
| 25STR518C    | 500        | 1800        | 455                  | 3302                                        | 222.32    |
| 25STR618C    | 600        | 1800        | 555                  | 3830                                        | 238.92    |

## 25mm Curved

| Product Code | Width (mm) | Height (mm) | Tapping Centres (mm) | Output $\Delta t 60^{\circ}\text{C}$ (BTUs) | Price (£) |
|--------------|------------|-------------|----------------------|---------------------------------------------|-----------|
| 25CTR308C    | 300        | 800         | 255                  | 1106                                        | 114.37    |
| 25CTR408C    | 400        | 800         | 355                  | 1272                                        | 118.14    |
| 25CTR508C    | 500        | 800         | 455                  | 1506                                        | 133.48    |
| 25CTR608C    | 600        | 800         | 555                  | 1746                                        | 137.26    |
| 25CTR310C    | 300        | 1000        | 255                  | 1319                                        | 127.07    |
| 25CTR410C    | 400        | 1000        | 355                  | 1516                                        | 130.85    |
| 25CTR510C    | 500        | 1000        | 455                  | 1781                                        | 139.78    |
| 25CTR610C    | 600        | 1000        | 555                  | 2060                                        | 143.56    |
| 25CTR312C    | 300        | 1200        | 255                  | 1605                                        | 139.78    |
| 25CTR412C    | 400        | 1200        | 355                  | 1845                                        | 143.56    |
| 25CTR512C    | 500        | 1200        | 455                  | 2175                                        | 152.49    |
| 25CTR612C    | 600        | 1200        | 555                  | 2524                                        | 156.27    |
| 25CTR316C    | 300        | 1600        | 255                  | 2122                                        | 171.61    |
| 25CTR416C    | 400        | 1600        | 355                  | 2439                                        | 175.38    |
| 25CTR516C    | 500        | 1600        | 455                  | 3302                                        | 184.20    |
| 25CTR616C    | 600        | 1600        | 555                  | 3332                                        | 200.80    |
| 25CTR518C    | 500        | 1800        | 455                  | 3302                                        | 235.14    |
| 25CTR618C    | 600        | 1800        | 555                  | 3830                                        | 251.63    |




Notes: Max operating pressure 7 bar.



Electric Towel Rail – On/Off

Electric Towel Rail – Thermostatic



| Product Code    | Height (mm) | Width (mm) | Tapping Centres (mm) | Element Power (W) | Price (£) |
|-----------------|-------------|------------|----------------------|-------------------|-----------|
| <b>Straight</b> |             |            |                      |                   |           |
| ESTR508C        | 800         | 500        | 455                  | 150               | 204.80    |
| ESTR510C        | 1000        | 500        | 455                  | 200               | 235.60    |
| ESTR512C        | 1200        | 500        | 455                  | 300               | 266.74    |
| <b>Curved</b>   |             |            |                      |                   |           |
| ECTR508C        | 800         | 500        | 455                  | 150               | 211.10    |
| ECTR510C        | 1000        | 500        | 455                  | 200               | 241.90    |
| ECTR512C        | 1200        | 500        | 455                  | 300               | 273.03    |

| Product Code    | Height (mm) | Width (mm) | Tapping Centres (mm) | Element Power (W) | Price (£) |
|-----------------|-------------|------------|----------------------|-------------------|-----------|
| <b>Straight</b> |             |            |                      |                   |           |
| ETSTR508C       | 800         | 500        | 455                  | 150               | 258.84    |
| ETSTR510C       | 1000        | 500        | 455                  | 150               | 289.63    |
| ETSTR512C       | 1200        | 500        | 455                  | 300               | 320.77    |
| <b>Curved</b>   |             |            |                      |                   |           |
| ETCTR508C       | 800         | 500        | 455                  | 150               | 265.14    |
| ETCTR510C       | 1000        | 500        | 455                  | 150               | 295.93    |
| ETCTR512C       | 1200        | 500        | 455                  | 300               | 327.07    |

# Radiator Valves & Extras



K-Design Angled TRV Twin Pack  
Chrome  
CR-TRV301A £79.99



K-Design Straight TRV Twin Pack  
Chrome  
CR-TRV201S £84.99



K-Design Corner TRV Twin Pack  
Chrome  
CR-TRV101C £89.99



K-Design Angled TRV Twin Pack  
Black  
BK-TRV301A £79.99



K-Design Straight TRV Twin Pack  
Black  
BK-TRV201S £84.99



K-Design Corner TRV Twin Pack  
Black  
BK-TRV101C £89.99



K-Design Angled TRV Twin Pack  
Anthracite  
AN-TRV301A £79.99



K-Design Straight TRV Twin Pack  
Anthracite  
AN-TRV201S £84.99



K-Design Corner TRV Twin Pack  
Anthracite  
AN-TRV101C £89.99



K-Design Angled TRV Twin Pack  
White  
WT-TRV301A £79.99



K-Design Straight TRV Twin Pack  
White  
WT-TRV201S £84.99



K-Design Corner TRV Twin Pack  
White  
WT-TRV101C £89.99



K-Design Angled TRV Twin Pack  
Brushed Nickel  
NK-TRV301A £84.99



K-Design Corner TRV Twin Pack  
Brushed Nickel  
NK-TRV101C £94.99



K-Design Angled TRV Twin Pack  
Brushed Brass  
BR-TRV301A £84.99



K-Design Corner TRV Twin Pack  
Brushed Brass  
BR-TRV201S £94.99

# Radiator Valves & Extras



K-Therm Refined Thermostatic Valve

|          |       |        |
|----------|-------|--------|
| Straight | TRVRS | £20.00 |
| Angled   | TRVRA | £18.00 |



K-Therm Refined All Chrome Thermostatic Valve

|          |        |        |
|----------|--------|--------|
| Straight | TRVRSC | £22.00 |
| Angled   | TRVRAC | £18.00 |



K-Therm Refined Angled Twin Valve Pack

|           |        |
|-----------|--------|
| TPLSTRVRA | £22.50 |
|-----------|--------|



K-Therm Style Angled Twin Valve Pack

|           |        |
|-----------|--------|
| TPLSTRVSA | £15.00 |
|-----------|--------|



K-Therm Style Thermostatic Valve

|          |       |        |
|----------|-------|--------|
| Straight | TRVSS | £13.00 |
| Angled   | TRVSA | £13.00 |



Times Manual Valves (Pair)

|          |           |        |
|----------|-----------|--------|
| Straight | CROSS-STR | £25.00 |
| Angled   | CROSS-ANG | £25.00 |



Nostalgia Thermostatic Valves (Pair)

|            |        |
|------------|--------|
| VLVCHA-TRV | £73.00 |
|------------|--------|



Nostalgia Manual Valves (Pair)

|            |        |
|------------|--------|
| VLVCHA-AB1 | £55.00 |
|------------|--------|



Corner Valves (Pair)

|      |        |
|------|--------|
| CRNV | £26.50 |
|------|--------|



Traditional Cross Head Valves Chrome (Pair)

|                |        |
|----------------|--------|
| TRAD-CROSS-ANG | £26.00 |
|----------------|--------|



Traditional Valves Chrome (Pair)

|            |        |
|------------|--------|
| TRAD-ANG-C | £40.00 |
|------------|--------|



Traditional Valves Brass (Pair)

|            |        |
|------------|--------|
| TRAD-ANG-B | £45.00 |
|------------|--------|



#### Modern Valves Chrome (Pair)

|          |        |
|----------|--------|
| Straight |        |
| KART-STR | £18.00 |
| Angled   |        |
| KART-ANG | £18.00 |



#### Modern Valves Anthracite (Pair)

|          |        |
|----------|--------|
| Straight |        |
| ANTH-STR | £38.50 |
| Angled   |        |
| ANTH-ANG | £38.50 |



#### Modern Valves Black (Pair)

|           |        |
|-----------|--------|
| Straight  |        |
| BLACK-STR | £38.50 |
| Angled    |        |
| BLACK-ANG | £38.50 |



#### Aspen Valves (Pair)

|          |        |
|----------|--------|
| Straight |        |
| ASP-STR  | £46.00 |
| Angled   |        |
| ASP-ANG  | £43.00 |



#### Cube Valves (Pair)

|          |        |
|----------|--------|
| Straight |        |
| CUBE-STR | £24.00 |
| Angled   |        |
| CUBE-ANG | £24.00 |



#### Square Valves (Pair)

|          |        |
|----------|--------|
| Straight |        |
| SQR-STR  | £43.00 |
| Angled   |        |
| SQR-ANG  | £45.50 |



#### Dual Fuel Heating Element

|       |          |        |
|-------|----------|--------|
| HE150 | 150 Watt | £69.98 |
| HE300 | 300 Watt | £77.00 |
| HE600 | 600 Watt | £84.02 |

#### Dual Fuel Thermostatic Heating Element

|       |          |         |
|-------|----------|---------|
| TE300 | 300 Watt | £139.97 |
| TE600 | 600 Watt | £154.01 |



Dual Fuel Thermostatic Heating Element



16-19 The Manton Centre, Manton Lane,  
Bedford MK41 7PX

Tel: 01234 363 393 Fax: 01234 363 488

Unit 3, Greenbank Business Park, Swan Lane,  
Hindley Green, Wigan WN2 4AY

Tel: 01942 257 800 Fax: 01942 257 900

#### CUSTOMER SERVICE

For Support with Any of Our Products,  
Email [customerservice@kartelluk.com](mailto:customerservice@kartelluk.com)  
or Call 0330 808 5049

[Kartelluk.com](http://Kartelluk.com)



K·VIT



K·VIT  
BATHROOM  
COLLECTION

*Request Our  
Bathroom Brochure  
For More Interior Inspiration  
For Your Home*